

TABELLA PEZZATURE PER DIAMETRO E TIPO CONFEZIONE
TABLE OF CAPACITIES PER DIAMETER AND TYPE OF PACKING

LE CARATTERISTICHE DELLE CONFEZIONI DISPONIBILI SONO INDICATE NELLA TABELLA **T002**. IN GENERALE LE CONFEZIONI STANDARD, PER CAVI CON CONDUTTORI FLESSIBILI, SONO QUELLE INDICATE NELLA PRESENTE TABELLA. PER CIASCUN DIAMETRO E' INDICATA LA PEZZATURA MASSIMA DELLA CONFEZIONE. NEI CASI IN CUI IL DIAMETRO DI INTERESSE NON FOSSE QUI PRESENTE OPPURE PER ESIGENZE PARTICOLARI O CONFEZIONI SPECIALI CONTATTARE IL NOSTRO SERVIZIO VENDITE.

THE CHARACTERISTICS OF THE PACKINGS AVAILABLE ARE SHOWN IN THE TABLE **T002**. USUALLY, THE STANDARD PACKINGS, FOR CABLES WITH FLEXIBLE CONDUCTORS, ARE THOSE SHOWN IN THIS TABLE. PER EACH DIAMETER IS SHOWN THE MAXIMUM PACKING CAPACITY. IF YOU CANNOT FIND YOUR NEEDED DIAMETER OR IF YOU HAVE SPECIFIC REQUIREMENTS OR NEED SPECIAL PACKINGS, PLEASE CONTACT OUR SALES DEPARTMENT.

Diametro cavo mm Cable Diameter	Bobina Cart. D.260		Bobina Cart. D.300		Bobina Legno D.600		Fusto Cart.		Fusto Cart.	
	Cod.12	q.tà mt	Cod.13	q.tà mt	Cod.16	q.tà mt	Cod.50	q.tà mt	Cod.53	q.tà mt
1,15		4000		8000				17000		34000
1,20		4000		7500				16000		30000
1,25		3500		7000				15000		28000
1,30		3000		6500				14000		26000
1,35		3000		6000				13000		25000
1,40		3000		5500				12000		23000
1,45		2500		5000				11000		21000
1,50		2500		4500				10500		19000
1,55		2500		4500				10500		18000
1,60		2000		4000				9000		17000
1,65		2000		4000				8500		16000
1,70		2000		3500				8000		15000
1,75		1800		3500				7500		14000
1,80		1700		3000				7000		13000
1,85		1600		3000				6800		12000
1,90		1600		3000				6500		12000
1,95		1500		2800				6000		11000
2,00		1400		2500				6000		11000
2,05		1300		2500				5600		10000
2,10		1300		2500				5000		10000
2,15		1200		2300				5000		9000
2,20		1200		2000				4800		9000
2,25		1100		2100				4600		8000
2,30		1100		2000				4400		8000
2,35		1000		1900				4200		8000
2,40		1000		1800				4000		8000
2,45		950		1800				3900		6500
2,50		900		1700		10000		3700		6500
2,55		850		1600		9800		3600		6000
2,60		850		1600		9500		3500		6000
2,65		800		1500		9000		3300		5300
2,70		750		1500		8500		3200		5300
2,75		750		1400		8400		3100		5000
2,80		700		1400		8000		3000		5000
2,85		700		1300		7800		2900		4600
2,90		650		1300		7500		2800		4600
2,95		650		1200		7300		2700		4300
3,00		600		1200		7000		2600		4300
3,05		600		1100		6800		2500		4100
3,10		600		1100		6500		2500		4100
3,15		550		1100		6400		2300		3700
3,20		550		1000		6200		2300		3700
3,25		500		1000		6000		2200		3500
3,30		500		1000		5800		2100		3500
3,35		500		950		5600		2100		3300
3,40		500		900		5500		2000		3300
3,45		450		900		5300		2000		3000
3,50		450		900		5200		1900		3000
3,55		450		850		5000		1800		2800
3,60		450		800		4900		1800		2800
3,65		400		800		4700		1700		2600
3,70		400		800		4600		1700		2600
3,75		400		750		4500		1600		2500
3,80		400		750		4400		1600		2500
3,85		350		700		4300		1600		2400
3,90		350		650		4100		1500		2400
3,95		350		700		4000		1500		2300
4,00		350		650		4000		1500		2300




TABELLA PEZZATURE PER DIAMETRO E TIPO CONFEZIONE

TABLE OF CAPACITIES PER DIAMETER AND TYPE OF PACKING

Diametro cavo mm Cable Diameter	Bobina Cart. D.260		Bobina Cart. D.300		Bobina Legno D.600		Fusto Cart.		Fusto Cart.	
	Cod.12	q.tà mt	Cod.13	q.tà mt	Cod.16	q.tà mt	Cod.50	q.tà mt	Cod.53	q.tà mt
4,05		350		650		3800		1400		2100
4,10		300		600		3700		1400		2100
4,15		300		600		3700		1300		2000
4,20		300		600		3600		1300		2000
4,25		300		600		3500		1300		1900
4,30		300		550		3400		1200		1900
4,35		300		550		3300		1200		1800
4,40		300		550		3200		1200		1800
4,45		250		500		3200		1200		1700
4,50		250		500		3100		1100		1700
4,55		250		500		3000		1100		1600
4,60		250		500		3000		1100		1700
4,70		250		450		2900		1000		1600
4,80		250		450		2700		1000		1500
4,85		200		450		2700		1000		1500
4,90		200		450		2600		950		1500
4,95		200		450		2600		950		1400
5,00		200		400		2500		900		1400
5,05		200		400		2500				
5,10				400		2500				
5,15				400		2400				
5,20				400		2300				
5,25				350		2300				
5,30				350		2200				
5,40				350		2200				
5,50				350		2100				
5,60				300		2000				
5,70				300		1900				
5,80				300		1900				
5,85				300		1900				
5,90				300		1800				
6,00				300		1700				
6,10				250		1700				
6,20				250		1600				
6,30				250		1600				
6,40				250		1500				
6,50				250		1500				
6,60				250		1500				
6,70				200		1400				
6,75				200		1400				
6,80				200		1300				
6,90				200		1300				
7,00				200		1300				
7,10				200		1200				
7,15				200		1200				
7,20				200		1200				
7,30				200		1200				
7,40				200		1200				
7,50						1100				
7,60						1100				
7,70						1000				
7,80						1000				
7,90						1000				
8,00						1000				
8,10						1000				
8,20						900				
8,30						900				
8,40						900				
8,50						850				
8,60						850				
8,70						850				
8,80						800				
8,90						800				
9,00						750				

TABELLA PEZZATURE PER DIAMETRO E TIPO CONFEZIONE **TABLE OF CAPACITIES PER DIAMETER AND TYPE OF PACKING**

Diametro cavo mm Cable Diameter	Bobina Cart. D.260		Bobina Cart. D.300		Bobina Legno D.600		Fusto Cart.		Fusto Cart.	
	Cod.12	q.tà mt	Cod.13	q.tà mt	Cod.16	q.tà mt	Cod.50	q.tà mt	Cod.53	q.tà mt
9,05						750				
9,10						750				
9,15						750				
9,20						750				
9,30						700				
9,40						700				
9,50						700				
9,60						700				
9,70						650				
9,80						650				
9,90						650				
10,00						600				
10,10						600				
10,20						600				
10,30						600				
10,40						550				
10,50						550				
10,60						550				
10,70						550				
10,80						550				
10,90						500				
11,00						500				
11,10						500				
11,20						500				
11,30						500				
11,40						450				
11,50						450				
11,60						450				
11,70						450				
11,80						450				
11,90						450				
12,00						450				
12,10						400				
12,50						400				
12,60						400				
13,00						350				

Data Emissione 07/06/1994	Indice Modifica 25	Data Modifica 18/07/2018
Redatto SETP 	Verificato SEP 	Approvato DIG 
Il presente documento è di esclusiva proprietà BLF srl. Le leggi vigenti ne tutelano la proprietà.		
This document is an exclusive BLF srl property. Current laws defend this property.		



T
0
0
2